




## Download

DXF 2D - 845.dxf Montaggi 845\_Tunable White.pdf





## 845 Comfort Panel LED - Tunable white

The superior quality of LED lighting is now more accessible thanks to a benchmark product that offers, at reduced costs, the ideal light for offices, shopping malls, hotels and in general all those spaces that need constant

Comfort Panel comes in either a square or rectangular shape that can be easily installed into ceilings. It is equipped with fast connectors, avoiding the need to open the unit. Its shape guarantees uniform light distribution, while the white-light LEDs generate high light quality, ensuring the best visual comfort. All this comes with significant energy savings

Housing: in sheet steel, contact mounting on the cross T structure. Diffuser: in opal engineering plastic with high thermal transmittance. Wiring: rapid wring connection, the fixture does not need to be opened.

Wilnig: Papid wring connection, the fixture does not need to be opened. TUNABLE WHITE: is a lighting solution capable of reproducing the natural course of daylight thanks to an exclusive colour temperature dynamism system. Based on specific needs or architectural solutions, users can change the colour of lights without changing the lamps or fixtures. Perfect colour temperature setting, from 2700K to 6500K, not only improves perceptual quality, but also creates amazing visual effects, it enhances colours and below regulate the beduits big brighting.

and helps regulate the body's biorhythm.

-0024 (master)

Code	Gear	Kg	Lumen Output-K-CRI	WTot	Colour
150222-0024	CLD CELL	5.46	LED-5000lm nominal flux-6500K-CRI>80 LED-4800lm nominal flux-2700K-CRI>80	39 W	BIANCO



320 steel safety cord

The reported luminous flux is the flux emitted by the light source with a tolerance of  $\pm$  10% compared to the indicated value. The W tot column indicates the total wattage absorbed by the system without exceeding 10% of the indicated