



301 Oliva arm

Made of aluminium. To be used with acc. 300 or 303 for pole mounting, or acc.302/303 for wall mounting.


Download

- DXF 2D
- 301b.dxf
- 3DS
- disano\_301.3ds
- 3DM
- disano\_301.3dm
- Montaggi
- acc\_300-301.pdf























Code	Kg	WTot	Colour
426973-00	2,32	0 W	GRAPHITE
426972-00	2,30	0 W	GREY9007

Prodotti



The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The W tot column indicates the total wattage absorbed by the system without exceeding 10% of the indicated

Prodotti

	- 1771 Lanterna 2 - with diffuser		- 1504 Clima		- 1513 Torcia LED COB		- 1766 Lanterna LED
	- 1514 Clima for zona 1		- 3171 Montecarlo - asymmetric		- 1598 Vista		- 3175 Montecarlo LED - wide beam - elliptical lenses
	- 1517 Clima LED		- 3142 Campana LED		- 1518 Clima LED against light pollution		- 1202 Polar
	- 1512 Bastia - LED		- 1221 Bastia		- 3141 Campana LED		- 3752 Metropolis - LED
	- 3751 Metropolis - LED - wide beam		- 3146 Campana LED		- 1204 Clima		- 1764 Lanterna 1 - indirect light with glass

The reported luminous flux is the flux emitted by the light source with a tolerance of  $\pm 10\%$  compared to the indicated value. The W tot column indicates the total wattage absorbed by the system without exceeding 10% of the indicated