



302 attacco parete

In alluminio. Per l'installazione a parete del braccio acc. 210/301


Download

- DXF 2D
- acc 302.dxf
- 3DS
- disano\_302.3ds
- 3DM
- disano\_302.3dm



Code	Kg	WTot	Colour
426974-00	1,75	0 W	GREY9007
426975-00	1,56	0 W	GRAFITE































Prodotti



The reported luminous flux is the flux emitted by the light source with a tolerance of  $\pm 10\%$  compared to the indicated value. The W tot column indicates the total wattage absorbed by the system without exceeding 10% of the indicated

302 attacco parete

Prodotti

	- 3164 Iride luce diretta - diffondente		- 1214 Clima		- 1598 Vista - A luce indiretta		- 1771 Lanterna 2 - con diffusore
	- 1504 Clima		- 1513 Torcia LED COB		- 1766 Lanterna LED		- 1753 Metropolis per piste ciclabili
	- 3162 Iride luce diretta - stradale sospensione		- 1514 Clima per zona 1		- 3171 Montecarlo - asimmetrico		- 1598 Vista - per zona 1
	- 3167 Iride - luce diretta LED		- 3175 Montecarlo LED - diffondente con lenti ellittiche		- 1573 Volo LED diffondente		- 1593 Volo LED - piste ciclabili
	- 1517 Clima LED		- 3223 Sforza LED a frusta - asimmetrico		- 3142 Campana LED		- 1518 Clima LED anti-inquinamento luminoso
	- 1202 Polar		- 1512 Bastia - LED		- 1750 Metropolis		- 3166 Iride dir/ind LED RGB
	- 3141 Campana LED		- 3752 Metropolis - LED		- 3751 Metropolis - LED -		- 3146 Campana LED
	- 1204 Clima		- 1764 Lanterna 1 - luce indiretta				

The reported luminous flux is the flux emitted by the light source with a tolerance of  $\pm 10\%$  compared to the indicated value. The W tot column indicates the total wattage absorbed by the system without exceeding 10% of the indicated